

# Dream Kitchens Designed by Lowe's and GE®









24.9 cu. ft. Side-By-Side Refrigerator GSH25KGPWW

■ Energy Star®-qualified ■ Upfront electronic touch temperature controls Available in: White on white, Bisque on bisque and Black on black







JP350TCWW ■ Ceramic glass cooktop ■ Ribbon heating element Available in: Stainless Steel, True white, True bisque and Black on black

Bisque on bisque and

Black on black

Price \$\_



30" Gas Cooktop JGP337WEJWW

■ Tempered glass cooktop ■ Sealed cooktop burners Available in: Stainless Steel, White on white, Bisque on bisque and Black on black

Price \$\_



36" Electric CleanDesign Cooktop JP960TCWW ■ Ceramic glass cooktop

Ribbon heating elements

Available in: Stainless Steel, True white, True bisque and Black on black

Price \$



36" Gas Cooktop JGP637WEJWW

■ Tempered glass cooktop ■ Sealed cooktop burners Available in: Stainless Steel, White on white, Bisque on bisque and Black on black

Price \$\_



30" Single Oven JTP20WFWW ■ Super-large self-clean oven ■ Electronic oven controls Available in: Stainless Steel, white, Bisque on bisque and Black on black

Price \$\_ 27" Single oven model **JKP20WFWW** 

with similar features also available



30" Double Oven JTP48WFWW ■ Super-large self-clean oven ■ Electronic oven controls Available in: Stainless Steel, White on white,

Bisque on bisque and Black on black

27" Double oven model JKP48WFWW

with similar features also available



30" Combination Double Oven JTP86WFWW ■ Super-large self-clean oven

■ 1.6 cu. ft. microwave oven Available in: Stainless Steel, White on white,

Bisque on bisque and Black on black

Price \$\_

27" Combination double oven model JKP86WFWW

with similar features also available



30" CleanDesign Electric Range JSP47WFWW ■ Self-clean oven

■ Electronic oven controls Available in: Stainless Steel. White on white. Bisque on bisque and Black on black

Price \$\_



30" Gas Range JGSP48WHWW ■ Self-clean oven ■ Precise Simmer burner Available in: Stainless Steel, White on white, Bisque on bisque and Black on black

Price \$\_



Convection Microwave Oven JE1590WH

■ 1.5 cu. ft. capacity, 1000 watts\* ■ Convection cooking controls

■ Sensor cooking controls Available in:

Stainless Steel, White on white. Bisque on bisque and Black on black

Price \$ \*IEC-705 test procedure



Sensor Microwave Oven JVM1650WH

■ 1.6 cu. ft. capacity. 1000 watts\* ■ Sensor cooking controls Available in:

Stainless Steel, White on white. Bisque on bisque and Black on black

Price \$\_ \*IEC-705 test procedure



36" Performance Hood JV565HWW

■ Convertible venting

■ Vertical or rear exhaust ■ Variable two-speed fan control Available in:

White on white, Bisque on bisque and Black on black

30" Performance hood model JV535HWW

with similar features also available



30" Warming Drawer JTD915WFWW ■ Flush appearance installation ■ Variable temperature control

Available in: Stainless Steel, White on white, Bisque on bisque and Black on

black Price \$\_

27" Warming drawer model JKD915WFWW

with similar features also available





25.6 cu. ft. Side-By-Side Refrigerator PSS26LGRBB ■ Energy Star-qualified ■ Upfront electronic touch temperature controls Available in: White on white, Bisque on bisque and Black on black

Price \$\_



36" Gas-on-Glass Cooktop JGP932BECBB ■ Sealed cooktop burners ■ Power Boil™ burner Available in: Stainless Steel, True white, True bisque and Black on black

Price \$\_



30" Gas Range JGS968BHBB ■ Two-speed gas convection oven ■ Convection Bake/Roast Available in: Stainless Steel, True white, True bisque and Black on black Price \$\_



**Built-In Dishwasher** PDW7800JBB ■ Energy Star-qualified ■ One-piece color wrap contour Available in: Stainless Steel, White on white, Bisque on bisque and Black on black Price \$\_



30" Single Oven JT912BFBB ■ Precise Air™ convection system ■ Convection Bake Available in: Stainless Steel, White on white, Bisque on bisque and Black on black

Price \$\_



30" Electric Cooktop JP930BCBB ■ Ceramic glass cooktop ■ Ribbon heating elements Available in: Stainless Steel, True white, True bisque and Black on black Price \$\_

36" Electric

JP960BCBB

Available in:

Price \$

Price \$\_

■ Ceramic glass cooktop

■ Ribbon heating elements

bisque and Black on black

Stainless Steel, True white, True

Cooktop



30" Single Oven JT952BFBB ■ Precise Air convection system ■ Convection Bake Available in: Stainless Steel, White on white, Bisque on bisque and Black on black





JT965BFBB ■ True European Convection (lower oven only) ■ Convection Bake/Roast (lower oven only) Available in: Stainless Steel, White on white. Bisque on bisque and Black on black



Price \$\_ 27" Combination double oven model JKP86BFFBB with similar features also available



30" CleanDesign Convection Range JS968BFBB ■ Precise Air convection system ■ Convection Bake (single and multi-rack) Available in: Stainless Steel. True white. True bisque and Black on black

Price \$\_



Sensor Microwave Oven JE2160BF ■ 2.1 cu. ft. capacity, 1200 watts\* ■ Sensor cooking controls Optional trim kits- JX2127BH/ JX2130BH Available in: Stainless Steel, White on white, Bisque on bisque and Black on black Price \$\_



\*IEC-750 test procedure Sensor Microwave Oven JVM1870BF ■ 1.8 cu. ft. capacity, 1100 watts\*
■ CircuWave<sup>™</sup> 1100 cooking system Available in: Stainless Steel, White on white, Bisque on bisque and Black on

black Price \$\_ \*IEC-750 test procedure



36" High-Performance Hood JV665HBB ■ Convertible venting ■ Vertical or rear exhaust Available in: Stainless Steel, White on white, Bisque on bisque and Black on black Price \$

30" Performance hood model JV635HBB with similar features also available



30" Warming Drawer JTD915BFBB ■ Flush appearance installation

■ Variable temperature control Available in: Stainless Steel, White on white,

Bisque on bisque and Black on black

Price \$\_

27" Warming drawer model JKD915BFBB with similar features also available3



30" Gas-on-Glass Cooktop JGP960BCBB ■ Sealed cooktop burners ■ Power Boil™ burner

Available in: Stainless Steel, True white, True bisque and Black on black



## Gourmet kitchen - Stainless Steel

Price \$\_

30" Single Oven

Available in:



25.5 cu. ft. Stainless-Wrapped Side-By-Side Refrigerator ■ Energy Star-qualified
 ■ ClimateKeeper™ system Available in: Stainless Steel Price \$\_



36"" Deep-Recessed Gas Cooktop JGP963SEJSS ■ Sealed cooktop burners ■ Power Boil™ burner Available in: Stainless Steel, White on white, Bisque on bisque and Black on black

with Trivection™ Technology

■ Speed baking/ Speed broiling

■ Precise Air convection system

Stainless Steel, White on white,



30" Dual-Fuel Range J2S968SHSS ■ Precise Air convection system ■ Electric Convection Bake (single and multi-rack) Available in: Stainless Steel, True white, True bisque and Black on black Price \$\_



Fully Integrated DishwasherDDW7280JSS ■ Energy Star-qualified ■ Fully integrated contour door Available in: Stainless Steel, White on white, Bisque on bisque, and Black on black Price \$\_

30" Electronic Touch

■ Ceramic glass cooktop

Bisque on bisque and

■ Precise digital control system

Stainless Steel, White on white,

Control Cooktop

JP939SHSS

Available in:

Black on black

Price \$\_

Price \$\_



Bisque on bisque and Black on black Price \$\_ 27" Single oven model

JK915SFSS with similar features also available



30" Double Oven with Trivection Technology JT980SHSS Speed baking/ Speed broilingPrecise Air convection system Stainless Steel, White on white, Bisque on bisque and Black on black

27" Double double oven model JK955SFSS

with similar features also available



30" Combination Double Oven JT965SFSS

■ True European Convection (lower oven only) ■ Convection Bake/Roast (lower

oven only) Available in: Stainless Steel, White on white,

Bisque on bisque and Black on black



27" Combination double oven model JKP86SHSS

with similar features also available



30" Deep Recessed Gas Cooktop JP933SEJSS ■ Sealed cooktop burners ■ Power Boil™ burner

Available in: Stainless Steel, White on white, Bisque on bisque and Black on black

Price \$\_



30" Slide-In Range with Trivection Technology JS998SHSS

■ Speed baking/ Speed broiling ■ Precise Air convection system Available in: Stainless Steel, True white, True bisque and Black on black Price \$\_



Convection/ Microwave Wall Oven JEB1095SB

■ 1.0 cu. ft. capacity, 800 watts\* ■ Electronic touch controls Available in:

Stainless Steel, White on white, Bisque on bisque and Black on

Price \$ \*IEC-750 test procedure



Above-the-Cooktop Oven

SCA1001FSS ■ Speedcook technology

■ Multiple cooking options-Speedcook oven, Traditional oven, Microwave oven and Warming oven Available in:

Stainless Steel, White on white, Bisque on bisque and Black on black

Price \$\_

Telescopic Downdraft System JVB67HBB ■ 500 CFM ■ Variable speed fan control Available in:

White on white, Bisque on bisque and Black on black

Price \$\_



36" Designer Hood JV966DSS **■** 600CFM ■ Four-speed fan control Available in: Stainless Steel



30" Warming Drawer JTD915SFSS

■ Flush appearance installation ■ Variable temperature control Available in: Stainless Steel, White on white,

Bisque on bisque and Black on black

Price \$ 27" Warming drawer model JKD915SFSS


with similar features also available




# Dimension drawings and information

# Side-By-Side Refrigerators


	Overall Product Dimensions								
Model	W-Width	W-Width D-Depth							
GE Profile									
PSW26SGRSS	35-7/8"	35-3/16"	70-1/2"						
GSH25KGPWW	35-7/8"	33-9/16"	69-1/4"						
GE									
GSH25KGPWW	35-3/4"	33-3/16"	69-3/4"						





### Dishwashers

	Overall Product Dimensions								
Model	W-Width	H-Height							
GE Profile									
PDW9280JSS	24"	24-3/4"	33-13/16"						
PDW7800JBB	24"	24-3/4"	33-13/16"						
GE									
GSD6600GWW	34"	25-1/4"	24"						



# Electric Cooktops

						Cut-Out D	imensions		
	Overa	II Product Dime	nsions		A – Width		C – Depth		
Model	W-Width	D-Depth	H-Height	Min.	Your Width	Max.	Min.	Your Depth	Max.
30" Models									
JP939S*	29-7/8"	21-1/2"	3-1/4"	28-3/8"		28-1/2"	19-1/2"		19-5/8"
JP930*	29-3/4"	20-7/8"	3-1/4"	28-3/8"		28-1/2"	19-1/2"		19-5/8"
JP350*	29-3/4"	20-7/8"	3-1/4"	28-3/8"		28-1/2"	19-1/2"		19-5/8"
36" Models									
JP969S*	36-1/8"	21"	3-1/4"	33-3/4"		33-7/8"	19"		19-1/8"
JP960	36"	20-3/8"	3-1/4"	33-3/4"		33-7/8"	19"		19-1/8"


<sup>\*</sup>Cooktops approved for installation over a wall oven. \*\*Includes blower motor assembly.

# Gas Cooktops

				Cut-Out Dimensions						
	Overall F	Product Dimensi	ons		A – Width		C – Depth			
Model	W-Width	D-Depth	H-Height	Min.	Your Width	Max.	Min.	Your Depth	Max.	
30" Models										
JGP933*	30"	21"	3-3/16"	28-3/8"		28-1/2"	19-1/2"		19-5/8"	
JGP932*	29-3/4"	21"	3-3/16"	28-3/8"		28-1/2"	19-1/2"		19-5/8"	
JGP337*	30"	21"	3"	28-3/8"		28-1/2"	19-1/2"		19-5/8"	
36" Models										
JGP963*	36"	21"	3-3/16"	33-3/4"		33-7/8"	19"		19-1/8"	
JGP962*	36"	20-7/16"	3-1/16"	33-3/4"		33-7/8"	19"		19-1/8"	
JGP637*	36"	21"	3-1/16"	33-3/4"		33-7/8"	19"		19-1/8"	

<sup>\*</sup>Cooktops approved for installation over a wall oven. \*\*Includes blower motor assembly.

# Dimension drawings and information



					Cut-Out Dimensions						
	Overall	<b>Product Dime</b>	ensions	Cabinet	A – Width		B – Height			C – Depth	
Model	W-Width	D-Depth	H-Height	S = Size	Min.	Your Width	Max.	Min.	Your Height	Max.	
GE Profile											
JT930	29-3/4"	23-1/2"	28-1/4"	30"	28-1/2"		28-5/8"	27-1/4"		27-5/16"	23-1/2"
JT912	29-3/4"	23-1/2"	28-1/4"	30"	28-1/2"		28-5/8"	27-1/4"		27-5/16"	23-1/2"
JK915	26-5/8"	23-5/8"	29"	27"	25"		25-1/4"	27-5/8"		28-1/8"	23-5/8"
GE											
JTP20	29-3/4"	23-1/2"	28-1/4"	30"	28-1/2"		28-5/8"	27-1/4"		27-5/16"	23-1/2"
JKP20	26-5/8"	23-5/8"	29"	27"	25"		25-1/4"	27-5/8"		28-1/8"	23-5/8"


### Double Wall Ovens

							С	ut-Out Dime	nsions		
	Overall	<b>Product Dime</b>	ensions	Cabinet	A – Width			B – Height			C – Depth
Model	W-Width	D-Depth	H-Height	S = Size	Min.	Your Width	Max.	Min.	Your Height	Max.	
GE Profile											
JT980	29-3/4"	23-1/2"	52-7/8"	30"	28-1/2"		28-5/8"	51-13/16"		51-15/16"	23-1/2"
JT952	29-3/4"	23-1/2"	52-7/8"	30"	28-1/2"		28-5/8"	51-13/16"		51-15/16"	23-1/2"
JK955	26-5/8"	23-5/8"	51"	27"	25"		25-1/4"	_		50-1/8"	23-5/8"
GE											
JTP48	29-3/4"	23-1/2"	52-7/8"	30"	28-1/2"		28-5/8"	51-13/16"		51-15/16"	23-1/2"
JKP48	26-5/8"	23-5/8"	51"	27"	25"		25-1/4"	_		50-1/8"	23-5/8"

# Double Ovens (Microwave Upper/Convection Lower)

						Cut-Out Dimensions					
	Overall	<b>Product Dim</b>	ensions	Cabinet	A – Width		B – Height			C – Depth	
Model	W-Width	D-Depth	H-Height	S = Size	Min.	Your Width	Max.	Min.	Your Height	Max.	
GE Profile											
JT965	29-3/4"	23-1/2"	43-1/4"	30"	28-1/2"		28-5/8"	42-3/16"		42-1/4"	23-1/2"
GE											
JTP86	29-3/4"	23-1/2"	43-1/4"	30"	28-1/2"		28-5/8"	42-3/16"		42-1/4"	23-1/2"
JKP86	26-5/8"	23-5/8"	42-1/8"	27"	25"		25-1/4"	_		41-1/4"	23-5/8"


If you are replacing a wall oven, GE Profile™ and GE® wall ovens replace most major brands 10 years old or younger with no minor modifications.



## Slide-In Ranges

	- 0							
	Overall	<b>Product Dim</b>	ensions	Depth with		Cut-Out Dim	ensions	
Model	W-Width	D-Depth	H-Height*	Door Open	A – Width	Your Width B – Hei	ght Your Height	C – Depth
GE Profile								
JS998	31-1/4"	27-1/2"	36-1/4"	45"	30"	36"		23-3/16"
JS968	31-1/4"	27-1/2"	36"	45-1/4"	30"	36"		23-3/16"
JSP47	31-1/4"	27-1/2"	36"	45-1/4"	30"	36"		23-3/16"
GE Profile								
J2S968	30"	28"	38"	44-3/4"	30"	36"		23-3/16"
JGS968	30"	28"	38"	44-3/4"	30"	36"		23-3/16"
GE				_				
JGSP48	30"	28"	38"	44-3/4"	30"	36"		23-3/16"

<sup>\*</sup>Height to top of cooking surface or grate.





### GE Profile Advantium Ovens

						Cut-Out Dimensions					
Overall Product Dimensions									C – Depth		
Model	W-Width	D-Depth*	H-Height Front	Height Rear	A-Width	Your Width	B-Height	Your Height	Min.	Your Depth	Max.
Above-the-Co	oktop Ovens										
SCA2000/1**	29-7/8"	15-1/4"	16"	16-13/32"	30"	·	16-3/32"	·	12"		13-1/4"

<sup>\*</sup>Excluding handle.

# Spacemaker Microwave Ovens

						Cut-Out Dimensions						
Overall Product Dimensions										C – Depth		
Model	W-Width	D-Depth	H-Height Front	Height Rear	A-Width	Your Width	B-Height	Your Height	Min.	Your Depth	Max.	
GE Profile												
JVM1870	29-7/8"	15-1/4"	16"	16-13/32"	30"		16-13/32"		12"		13-1/4"	
GE												
JVM1850	29-7/8"	15-1/4"	16"	16-13/32"	30"		16-13/32"		12"		13-1/4"	


### Microwave Ovens

Overall Product Dimensions							
Model W-Width D-Depth Height							
GE Profile							
JE1590	14-7/8"	19-7/8"	22-5/8"				
JE2160	13-13/16"	19-1/2"	24"				

# Convection


### Microwave Ovens

Overall Product Dimensions										
Model W-Width D-Depth Height										
GE Profile	GE Profile									
JEB1095	14-7/8"	19-7/8"	22-5/8"							




<sup>\*\*240</sup> volt.

# Dimension drawings and information



### Range Hoods

	Overall	<b>Product Dime</b>	ensions		Descriptions			
Model	W-Width	D-Depth	H-Height	Color	·			
GE Profile Designer Hoods								
JV966	36"/30"	21"	18"	SS/SS	600-CFM, four-speed fan control, two halogen cooktop lights			
GE Profile Telescopic Downdraft Systems								
JVB67/	36"/30"	2-1/8"	27"	WW/CC/BB	350-CFM, upfront variable–speed fan with slide control			
GE Profile High-Performance Hoods								
JV666/665	35-7/8"	20"	4-3/4"	SS/WW, BB	350/400-CFM, four-speed fan control, two halogen cooktop lights			
JV636/635	29-7/8"	20"	4-3/4"	SS/WW, BB	350/400-CFM, three-speed fan control, two halogen cooktop lights			
GE Profile Performance Hoods								
JV566/565	29-7/8"	20"	4-3/4"	SS/WW, CC, BB	200-CFM, two-speed fan control, two halogen cooktop lights			
JV536/535	35-7/8"	20"	4-3/4"	SS/WW, CC, BB	200-CFM, two-speed fan control, two halogen cooktop lights			



## Warming Drawers

	Overall Product Dimensions			Cabinet	Cut-Out Dimensions				
Model	W-Width	D-Depth	H-Height	S = Size	A – Width	Your Width	B – Height	Your Height	C – Depth
GE Profile									
JTD915	30"	23-1/4"	10-1/2"	30"	28-1/2"		9-1/4"		23-1/2"
JKD915	26-3/4"	23-1/4"	10-1/2"	27"	25-1/2"		9-1/4"		23-1/2"

#### STORE ASSOCIATE INFORMATION



GE has a policy of continuous improvement of its products and reserves the right to change materials and specifications without notice.